

ConnectedCooking. Operating instructions.



Contents

1. Registering inConnectedCooking	4
2. The first registration	4
3. Configuration of your personal system	5
3.1 Administration	5
3.1.1 Company data	5
3.1.2 Groups	5
3.1.3 Users	9
3.1.4 Invitations	13
3.1.5 Service partners	13
3.2 Units	16
3.2.1 Add a new unit	16
3.2.2 Display the unit details	17
3.2.3 Edit the unit data	18
3.2.4 Delete unit	18
3.3 Units individual software update	19
3.4 Cooking program administration	21
3.4.1 Create a new cooking program	21
3.4.2 Edit an existing cooking program	22
3.4.3 Read a cooking program from a unit	23
3.4.4 Read a cooking program from a data carrier (if the unit is offline or not registered)	24
3.4.5 Using a cooking program from the recipe library under "Inspiration"	25
3.4.6 Transfer cooking programs to units	26
3.4.7 Overview of planned and completed cooking program transfers	27


3.5 HACCP data	27
3.5.1 HACCP data overview	28
3.5.2 HACCP detailed display of a batch	28
3.6 Unit status display	29
3.6.1 Status overview	29
3.6.2 Unit status in detail	30
4. Installation quick guide	31
4.1 SelfCookingCenter® and VarioCookingCenter®	31
4.2 Installation without a network cable	34

1. Registering in ConnectedCooking

Before using ConnectedCooking, you must register as a user on ConnectedCooking.com or using the app (iOS/Android). You will be asked for various personal or company details, which will be encrypted and treated as confidential. You will then receive an e-mail with the activation link to complete your registration.

2. The first registration

When registering for ConnectedCooking for the first time, the system will start an interactive welcome tour to explain the individual functions. You can stop this tour at any time and deactivate it for future registrations.



3. Configuration of your personal system

ConnectedCooking offers you maximum convenience if you customise it to your company.

3.1 Administration

There are numerous functions available to you as the account administrator under the "Administration" menu item.



3.1.1 Company data

In the company details area, you can edit the information on your company requested at registration.

This function is only available for users with "Account Administrator" rights. When details are changed, all "Account Administrators" of your company will be informed of the change by e-mail.

The details of the main contact person for service and support matters can be entered under "Contact for service cases". In the event of a unit malfunction, customer service or the service partner will contact the contact person on file.



3.1.2 Groups

A group is a group of units, a kitchen or a subsidiary of your company. ConnectedCooking will usually automatically create a main group after registration. A group can only be created by the "Administrator" of the main group.

If you operate your unit or units at one location, you will not usually need any other groups. If you operate your units at different locations or in different kitchens, you can replicate your company structure exactly by adding additional groups.

For every new group, you can file the following information:

Name of new group (e.g. the relevant branch or kitchen)

> Superordinate group

> Additional information:

- Address information of the group (e.g. the address of the relevant branches)
- Appointed service partner of the group (optional)
- Appointed contact for the service partner (optional)
- In which time zone is the group / location (automatic presetting of the time zone). The time zone is urgently required for automatic time synchronisation of the units.

The additional information is requested when registering your company and assigned to the main group. Every new group automatically contains this information at the beginning, and this can be changed at any time.

The first additional group you create is automatically assigned to the main group. For every additional one, you can freely set the affiliations.

An example:

The company Burger&Fries operates 8 branches in Germany. These branches are at the following locations:


- > 2 branches in Munich
- > 1 branch in Frankfurt
- > 2 branches in Berlin
- > 2 branches in Hamburg
- > 1 branch in Vienna

The company headquarters including the central kitchen management are located in Munich. The configuration of the groups for the company Burger&Fries is depicted in ConnectedCooking as follows:

Groups could be separated kitchens or different stores

Burger&Fries HQ Oakville	
Stores Canada	
Oakville	
Store 1	
Store 2	
Montreal	
Store 1	
Ottawa	
Store 1	
Store 2	

Creation of a new group




1. Click on "Create group"

2. Enter a name for the new group
3. Select a superordinate group
4. Edit additional information



Edit a group



1. Click on the pencil symbol

2. Dialogue on editing the group information

Delete a group



1. Click on the "x" symbol

2. Confirm the delete process

3.1.3 User





























A user is a person with access rights, who can access certain data within ConnectedCooking. When a company is created, the first user is automatically created as the "Account Administrator". This user role is given the necessary rights to configure the company and invite new users to the system.

Additional users can only be created when invited by an authorised user in the system. The invitation will state the new user's authorisation level and for which group this applies.

The following user roles can be defined:

- > **Account Administrator:**
Full rights for use of all functions in all groups
- > **Groups Administrator Advanced:**
Full rights for the assigned group
- > **Groups Administrator Standard:**
Limited rights for the assigned group
- > **User:**
Limited rights for the assigned group
- > **Support:**
Limited rights for the assigned group
- > **Operator:**
Receipt of push notifications only (smart phone, tablet and ConnectedCooking app required)

Rights of the different user roles in detail

Administration	 Edit company master data	 Edit and create groups	 Add / edit units	 Invite and edit users	 Manual software update
Account Administrator					
Groups Administrator Advanced					
Group Administrator Standard		Read only	Read only	Read only	
User standard		Read only	Read only		
Customer service		Read only	Read only		
Operator					

General



Edit and transfer co-ordination programs

[View HACCP](#)Unit overview
(status)


Configure notifications



Remote access

Account Administrator	✓	✓	✓	✓	✓
Groups Administrator Advanced	✓	✓	✓	✓	✓
Group Administrator Standard	✓	✓	✓	✓	✗
User standard	No transfer	✓	✓	✓	✗
Customer service	No transfer	✓	✓	✓	✓
Operator	✗	✗	✗	✗	✗

Invite a new user



1. Click "Invite user"

The screenshot shows the 'Invite user' form with the following fields and their corresponding numbered red circles:

- 2**: E-mail text input field.
- 3**: Situation dropdown menu.
- 4**: Last name text input field.
- 5**: Role dropdown menu.
- 6**: Group text input field.
- 7**: Checkmark icon and 'as accountadmin' text.

2. E-mail address of new user
3. Salutation of new user
4. First and last name
5. Define the user role
6. Define the location and group assignment
7. Possibility of giving a new user top authorisation level

Edit a user



1. Click on the pencil symbol

2. Dialogue on editing the user information and group affiliation

Delete a user




1. Click on the "x" symbol

2. Confirm the delete process

3.1.4 Invitations

New and pending invitations will be shown to you under the Company/ invitations menu item until confirmed by the recipient. Every Account Administrator and Groups Administrator will be informed by e-mail once the recipient has accepted the invitation. The invitations will be valid for up to one week.

Cancel a pending invitation




1. Click on the "x" symbol

2. Confirm the delete process

3.1.5 Service partners

To allow a Service partner to access your unit or units in the event of a unit malfunction, you can use the "Invite service partner" function. You will find the function under Administration/service partner.



1. Interface to invite a new service partner to your company

2. Overview of pending service partner invitations

3. Overview of service partners who already have access to your units.

4. Using the "x" on the interface, access can be withdrawn from service partners

As a service partner, you will have a new menu item called “My customers” once you have been given access:

Customer: RATIONAL AG Filter by: No filter 1

Company name	Group 2	Status 1	Name 1	Serialnumber 1
RATIONAL AG	SG German Center TC	▲	Mike Dörmay	E115117153008003
RATIONAL AG	SSM Demo Panels (External)	▲	100	E115117153008003
RATIONAL AG	BR 2 Vorbereitung	●	101	E115116082533474
RATIONAL AG	BR 3	●	101 links	E115116082533470
RATIONAL AG	BR 2	●	101 links	E115116082533472
RATIONAL AG	RTCT	■	101 Hartec	E115116072528802
RATIONAL AG	BR 2	●	101 Mitte	E115116082533473

Under “My customers”, service partners will see a clear list of all units of all customers to which a customer has given them access.

Using the filter (1), service partners can filter by customer and by units with the error status. After clicking on a unit, the unit details will be displayed:

- General information: Status and cleaning status
- Unit actions:
 - Request log data (important for troubleshooting the internet connection)
 - Create a backup: The basic unit settings are saved permanently in ConnectedCooking and can be downloaded if required. The file can currently be copied to a unit by connecting a USB stick, in order to restore it to the last valid settings. Important: This backup does not contain cooking programs.
 - Request service data: Download the current service data for the unit. Once downloaded, the text file can be opened in the editor as usual.
- Start remote access: A service technician can also access remotely via the service level:



After pressing the “Open service level” interface, the correct password must be entered to open the level.

3.2 Units

3.2.1 Add a new unit

Requirement:

The SelfCookingCenter® or VarioCookingCenter® is connected to the internet. You will find notes and details on this in the manual for your SelfCookingCenter® or VarioCookingCenter®.

Important:


For security reasons, the registration process will always start from the unit. You will find the "ConnectedCooking" menu item from the "MySCC" or "MyVCC" configuration of your SelfCookingCenter® or VarioCookingCenter®.



1 press the MySCC or MyVCC button



2nd Select ConnectedCooking



3. Click to turn on ConnectedCooking



4. The registration code will be displayed (internet connection required*)

* You will find more information on this in the manual of your SelfCookingCenter® or VarioCooking Center® in chapter 4.

With this activation code, you can add the unit to your personal ConnectedCooking system via the ConnectedCooking smart phone app or via the online portal.



+ Add device

The 'Add device' form contains the following fields and options:

- Activation code: 123-456-789
- Name: (empty field)
- Group selection: A tree view showing 'RATIONAL AG' expanded, with sub-items 'Marketing Dummy's', 'RATIONAL HV', 'RTC, TC, BR', 'Testbereich', and 'Werk II'.
- Buttons: 'Cancel' and 'Save' at the bottom right.

1. Click on the "Add unit" interface.
2. Enter the activation code.
3. Enter a name for the new unit (free choice)
4. Define the location or group of the unit

Following the successful registration of your unit, it will be shown in the unit administration and your unit overview. After the first registration, it can take a moment until the operating data is actually displayed.

3.2.2 Display the unit details



1. Click on the eye symbol

The 'Devicedetails' screen displays the following information:

- Unit ID: 101
- Image of the unit.
- Devicedetails table:

Property	Value
Name	101
Group	BT 2 Vorbereitung
Type	Depra
Size	-10
GN-Size	1/1
Construction year	8/2016
Serialnumber	C1151006233474
IP	
MAC	
- Software table:


Property	Value
Hardware	RTX485-CA
Hardware version	200
Script version	
System version	2017-10-05_571608
Application version	SCC-01-00-08-2112
Documentation version	SCC00540-15

2. Display the detailed information (data is automatically entered)

3.2.3 Edit the unit data



1. Click on the pencil symbol



2. Change the group affiliation
3. Upload own picture

3.2.4 Delete a unit

Deleting a unit always takes two steps: The first step is to initially deregister the unit so that it can no longer send data to the system. If the unit is no longer connected to the internet or in operation at the time of deregistering, deregistration will be forced after 48 hours. As long as a unit is only deregistered, the HACCP data will continue to be available.

Once a unit is successfully deregistered or after a forced deregistration, you can delete the unit including the HACCP data.

Step 1: Deregistration



1. Click on the "x" symbol



2. Confirm deregistration

Step 2: Delete the unit



1. Click on the "x" symbol



2. Confirm the deletion



3.3 Units individual software update

Once a new software version is available, you can choose to receive a notification on your unit.

You can decide whether you want to receive this notification or not. You can make this setting in the ConnectedCooking setting on the unit.





1. Click on the "Update" notification on the bottom edge of the display




2. After clicking, you will go directly to the "ConnectedCooking" settings. There you will see the "Start software update" field. To perform a software update, you must now click on this field.
3. The unit will now automatically switch off and load the latest software to the unit. This process can take a few minutes. The unit will then be updated and you can continue using the unit.

3.4 Cooking program administration

Cooking program administration offers convenient functions in order to administer and edit cooking programs for the SelfCookingCenter® and VarioCookingCenter® units.

3.4.1 Create a new cooking program



1. Click on "New cooking program" interface




2. Selection of the unit and programme model



3. Define the name, additional information*, the description and language of the cooking program
4. Upload a picture for the cooking program
5. Upload or select a picture of the recommended cooking accessory
6. Create the cooking program like on the unit
7. Save in your own ConnectedCooking library (My cooking programs)

3.4.2 Edit an existing cooking program


1. Click on the desired cooking program




2. Edit the cooking program as described under 3.4.1.




3.4.3 Read a cooking program from a unit

- 

1. Click on the "Import from unit" interface
- 

2nd Select the unit from which the cooking program is to be imported

3. Click on "Display cooking program"




Select one or more cooking programs (for manual cooking programs, a category must be selected)




Import the cooking program selection

3.4.4 Read a cooking program from a data carrier (if the unit is offline or not registered)




1

1. Click on the "Import from unit" interface



2

2. Click on the "Select and load XML" interface



3

3. Define the cooking program categories

4. Click on "Import". That's it

4

3.4.5 Using a cooking program from the recipe library under "Inspiration"

Almost all recipes in the recipe library can easily be added to your own cooking program library at the click of the mouse. From your own cooking program library, these can then be transferred to the units as described below.



Confirmation of successful transfer is displayed


The cooking program from the recipe administration is now in your cooking program library.

3.4.6 Transfer cooking programs to units


The transfer of cooking programs is based on a purchase from an online shop. Simply by clicking on the "Add" interface, cooking programs are placed in a "Shopping cart", which is then transferred to the units.



1. Click on the "Add" interface of the desired cooking program



2. Cooking programs are placed in the "Shopping cart"
3. Start the transfer process by clicking on "Recipe transfer"



4. Select the time of transfer and overview of the planned cooking programs
5. Select a target group of units or a target unit
6. Click on "Transfer".

Done!

3.4.7 Overview of planned and completed cooking program transfers

Cooking program transfers

If a cooking program transfer is to take place at a certain time, the planned transfer will be displayed until the time of the transfer. This planned transfer can be edited or deleted until the time of transfer.

Planned cooking program rollouts			
Rollout date	Rollout cooking program	Rollout group	Rollout device
1/25/18 9:00 AM	Goose stuffing Canada (1)		Marketing Dummies

Completed cooking program transfers will be displayed in the table shown underneath and is provided for retrospective information. This data is shown to all users who have access to the company's cooking programs.



3.5 HACCP data

Automatic HACCP documentation logs all HACCP data for all units associated with the company account and presents these in a list. HACCP data is saved in ConnectedCooking for 6 months. The HACCP data upload to the ConnectedCooking platform can be switched on or off by the user on the unit under mySCC.

This display will take into account the user authorisations so that only the unit data belonging to the allocated group will be displayed "




3.5.1 HACCP data overview

Filter group						
North America						
Batch	Cooking program	Date	Time	Device	Group	PDF
2906	medium	1/24/18	5:12:36 PM	Event center 62 Top Middle	RATIONAL USA	
2905	- croissant / danish	1/24/18	4:33:05 PM	Event center 62 Top Middle	RATIONAL USA	
2904	- croissant / danish	1/24/18	4:32:36 PM	Event center 62 Top Middle	RATIONAL USA	
2903	ILC-Warenkorb	1/24/18	4:32:26 PM	Event center 62 Top Middle	RATIONAL USA	
2902	- croissant / danish	1/24/18	4:32:08 PM	Event center 62 Top Middle	RATIONAL USA	
606	fish - fish in pastry	1/24/18	4:22:02 PM	SCC 61E SI Tech Center 1-18	Tech Center	
898		1/24/18	4:13:33 PM	SCC 61G SI type Tech Center Upper 1-18	Tech Center	

1. Filter HACCP data by group
2. Produce PDF from several batches
3. Export an individual batch as CSV (Excel) or PDF

3.5.2 HACCP detailed display of a batch



1. Information on a batch
- 2nd Browse HACCP batches from the same unit
3. Produce CSV (Excel) or PDF file
4. Temperature profile of the cooking program
5. Detailed profile in table form

3.6 Unit status display


The unit overview offers a quick insight into the current status of your units. The most important information on your units will be displayed in the form of a list or in the form of an attractive map"

3.6.1 Status overview

Filter group						
BR 2						
Group	Status	Name	Program	Current step	Current core temperature	Current remaining cooking time
BR 2		XS			34° C	
BR 2		XS	side dishes / vegetables - steam vegetables - operation		77° C	0:36:23
BR		6T			25° C	
BR 2		10T			63° C	4 %

1. Change to table view
2. Change to tile view
3. Filter the units by group
4. Filter by unit in "Action required" or "Error" status
5. Unit data will automatically be updated in the display
6. Add (link) a new unit
7. Sort the list entries
8. Status display:
 - = unit online, no fault
 - = unit requires user action
 - = unit in "fault" mode
 - = unit offline
9. Display the current core temperature
10. Display the current remaining cooking time
11. Display the current cooking cabinet temperature
12. Display the current cooking cabinet humidity
13. Display current care status

3.6.2 Unit status in detail




1. Return to unit overview
- 2nd Import cooking program from the unit and delete all cooking programs on the unit
3. Start the remote operation
4. Display the current unit status:

- ✓ = unit online, no fault
- ✗ = unit offline
- ! = unit has no fault

5. Displays the current maintenance status and the current cleanliness level.

The display of the maintenance status and cleanliness is made in 16 steps which are shown as follows:



4. Installation quick guide

4.1 SelfCookingCenter® and VarioCookingCenter®




1. Software update

Run a manual software update for the last time with the latest version using the USB stick.



2. Activate DHCP

Please activate DHCP in network settings. (If you do not work with DHCP, the network settings must be performed by your IT team)




3. Activating ConnectedCooking

Please activate ConnectedCooking. Then a "Registration code" field will appear. Click on this field.




4. Registration code

Click on this field to open a window on your unit with a numerical code and a QR code. You must now use this code on the ConnectedCooking platform to activate.




5. Add a unit (app)

You can now add a unit using the app. To do this, first click on "My units" in the menu and then on the "+" in the unit overview.



6. Add unit (computer)

You can now add a unit on the computer. To do this, first click on "my units" and then on "+ add units".



7. Add a unit


A window will then open in which you can either enter the code manually or click on the code icon to scan it and then scan the QR code from the unit. Please also assign a name for every unit (e.g. SelfCookingCenter61E or VarioCookingCenter112L) and assign it to the corresponding group.

4.2 Installation without a network cable

Your units can either be connected to the network with a network cable or a W-LAN adapter. W-LAN adapters are available for almost any application but are not included in the scope of supply by RATIONAL AG.

Installation example

1. The W-LAN adaptor is connected to the RATIONAL unit using a network cable and is connected to the plug.
2. Connect the W-Lan adaptor to your router using the instructions.



RATIONAL UK Limited

Unit 4 Titan Court, Laporte Way
Portenway Business Park
Luton, LU4 8EF
United Kingdom

Tel. +44 (0) 1582 480388

Fax +44 (0) 1582 485001

info@rational-online.co.uk
rational-online.com