

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 20.11.2018

Version number 2

Revision: 20.11.2018

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **Date of compilation:** 27.10.2009
- **1.1 Product identifier**
- **Trade name:** RATIONAL Decalcifier
- **Article number(s):** 6006.0110
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation:** Deliming agent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer / Supplier:**  
RATIONAL AG  
Siegfried-Meister-Straße 1  
86899 Landsberg am Lech  
Germany  
Tel.: +49 8191 327-2365  
Fax: +49 8191 327-72 2365
- **E-mail address of the competent person responsible for the Safety Data Sheet:**  
reinigung@rational-online.com
- **Informing department:** Product management
- **1.4 Emergency telephone number:**  
Giftnotruf München "Klinikum rechts der Isar"  
Tel. +49 89 19 24 0

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

- Met. Corr.1 H290 May be corrosive to metals.
- Skin Corr. 1B H314 Causes severe skin burns and eye damage.
- Eye Dam. 1 H318 Causes serious eye damage.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Phosphoric acid
- **Hazard statements**  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 20.11.2018

Version number 2

Revision: 20.11.2018

Trade name: RATIONAL Decalcifier

(Contd. of page 1)

- P103 Read label before use.  
 P260 Do not breathe mist/vapours/spray.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P405 Store locked up.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Aqueous solution

- **Dangerous components:**

CAS: 5329-14-6 EINECS: 226-218-8 Index number: 016-026-00-0	Sulphamic acid ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	2.5-<10%
CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6	Phosphoric acid ⚠ Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	2.5-<10%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

- **Ingredients according to Regulation (EC) No 648/2004:**

non-ionic surfactants	<5%
-----------------------	-----

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing contaminated by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact:**  
Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water.  
Remove contact lenses, if present and easy to do.  
Use eye protection.  
Call a doctor immediately.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting - Danger of perforation!  
Call a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

GB

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 20.11.2018

Version number 2

Revision: 20.11.2018

Trade name: RATIONAL Decalcifier

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** none
- **5.2 Special hazards arising from the substance or mixture**  
Can be released in case of fire:  
Nitrogen oxides (NO<sub>x</sub>)  
Oxides of phosphorus (P<sub>x</sub>O<sub>y</sub>)  
Sulphur oxides (SO<sub>x</sub>)
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.  
Avoid contact with skin and eyes.  
Use breathing protection against the effects of fumes/dust/aerosol.
- **6.2 Environmental precautions:**  
Do not allow to enter drainage system, surface or ground water.  
Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Send for recovery or disposal in suitable containers.  
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Avoid contact with skin and eyes.  
Do not breathe vapour/spray.  
Make sure that all applicable workplace limits are observed.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**  
Store in the original container.  
Observe all local and national regulations for storage of water polluting products.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store and transport upright.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 20.11.2018

Version number 2

Revision: 20.11.2018

Trade name: RATIONAL Decalcifier

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:**

**7664-38-2 Phosphoric acid**

WEL (Great Britain)	Short-term value: 2 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>
IOELV (European Union)	Short-term value: 2 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Instantly remove any contaminated garments.

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

· **Breathing equipment:**

Use breathing protection when aerosol or mist is formed.

If all workplace limits are observed and good ventilation is ensured, no special precautions necessary.

· **Protection of hands:**

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Check the permeability prior to each renewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves**

e.g. KCL Dermatril® 740

Recommended thickness of the material:  $\geq 0.11$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Penetration time:  $\geq 8$  hours

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Tightly sealed safety glasses

· **Body protection:**

Protective work clothing

Body protection must be chosen depending on activity and possible exposure.

GB

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 20.11.2018

Version number 2

Revision: 20.11.2018

Trade name: RATIONAL Decalcifier

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

<ul style="list-style-type: none"> <li>· <b>9.1 Information on basic physical and chemical properties</b></li> <li>· <b>General Information</b></li> <li>· <b>Appearance:</b> <ul style="list-style-type: none"> <li>Form: liquid</li> <li>Colour: yellowish</li> </ul> </li> <li>· <b>Smell:</b> characteristic</li> <li>· <b>Odour threshold:</b> not determined</li> </ul>	
· <b>pH-value at 20 °C:</b>	< 1
<ul style="list-style-type: none"> <li>· <b>Change in condition</b> <ul style="list-style-type: none"> <li>Melting point/freezing point: not determined</li> <li>Initial boiling point and boiling range: <math>\geq 100</math> °C</li> </ul> </li> <li>· <b>Flash point:</b> not applicable</li> <li>· <b>Inflammability (solid, gaseous)</b> Not applicable.</li> <li>· <b>Ignition temperature:</b> not applicable</li> <li>· <b>Decomposition temperature:</b> Not determined.</li> <li>· <b>Self-inflammability:</b> Product is not selfigniting.</li> <li>· <b>Explosive properties:</b> Product is not explosive.</li> <li>· <b>Critical values for explosion:</b> <ul style="list-style-type: none"> <li>Lower: Not determined.</li> <li>Upper: Not determined.</li> </ul> </li> <li>· <b>Oxidising properties</b> not classified as oxidising</li> <li>· <b>Vapor pressure at 20 °C:</b> 23 hPa</li> <li>· <b>Density at 20 °C:</b> 1.085 g/cm<sup>3</sup></li> <li>· <b>Relative density</b> Not determined.</li> <li>· <b>Vapour density (AIR = 1):</b> Not determined.</li> <li>· <b>Evaporation rate</b> Not determined.</li> <li>· <b>Solubility in / Miscibility with Water:</b> fully miscible</li> <li>· <b>Partition coefficient: n-octanol/water:</b> Not determined.</li> <li>· <b>Viscosity:</b> <ul style="list-style-type: none"> <li>dynamic: not determined</li> <li>kinematic: not determined</li> <li>Organic solvents: 0 %</li> </ul> </li> <li>· <b>9.2 Other information</b> Further informations please refer to technical data sheet.</li> </ul>	

### SECTION 10: Stability and reactivity

- **10.1 Reactivity**  
No further relevant information available.
- **10.2 Chemical stability**  
No further relevant information available.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Corrosive action on metals
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 20.11.2018

Version number 2

Revision: 20.11.2018

Trade name: RATIONAL Decalcifier

(Contd. of page 5)

- **10.6 Hazardous decomposition products:**  
Nitrogen oxides (NO<sub>x</sub>)  
Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>)  
Sulphur oxides (SO<sub>x</sub>)

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

#### 5329-14-6 Sulphamic acid

Oral	LD50	3160 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rat)

#### 7664-38-2 Phosphoric acid

Oral	LD50	1530 mg/kg (rat)
Dermal	LD50	2740 mg/kg (rabbit)
Inhalative	LC50/1 h	1.689 mg/l (rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** no data available
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of Regulation (EC) No. 1272/2008 (CLP/GHS):  
Skin Corr. 1B  
Eye Dam. 1
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**  
According to present knowledge no CMR-effects known.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

#### 5329-14-6 Sulphamic acid

LC50/96 h	70.3 mg/l (fish)
-----------	------------------

#### 7664-38-2 Phosphoric acid

LC50/96 h	75.1 mg/l (oryzias latipes)
EC50/24 h	29 mg/l (water flea (daphnia magna)) (ISO 6341 15) Water quality
IC50	270 mg/l (bacteria)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 20.11.2018

Version number 2

Revision: 20.11.2018

Trade name: RATIONAL Decalcifier

(Contd. of page 6)

- **Additional ecological information:**

- **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Water hazard class 1 (Self-assessment): slightly hazardous for water

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- **European waste catalogue:**

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information

- **14.1 UN-Number**

- **ADR, IMDG, IATA**

UN3264

- **14.2 UN proper shipping name**

- **ADR**

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULPHAMIC ACID)

- **IMDG, IATA**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULPHAMIC ACID)

- **14.3 Transport hazard class(es)**

- **ADR**



- **Class**

8 (C1) Corrosive substances.

- **Label**

8

- **IMDG, IATA**



- **Class**

8 Corrosive substances.

(Contd. on page 8)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 20.11.2018

Version number 2

Revision: 20.11.2018

Trade name: RATIONAL Decalcifier

(Contd. of page 7)

· Label	8
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	NO
· 14.6 Special precautions for user · Kemler Number: · EMS Number: · Segregation groups · Stowage Category · Stowage Code	Warning: Corrosive substances. 80 F-A,S-B Acids A SW2 Clear of living quarters.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ): · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category: · Tunnel restriction code:	3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SOLUTION, SULPHAMIC ACID), 8, III

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations
- Information about limitation of use:  
Employment restrictions concerning young persons must be observed.
- Decree to be applied in case of technical fault: Directive 2012/18/EU does not apply.
- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water
- Other regulations, limitations and prohibitive regulations  
Observe restrictions on the marketing and use according to Annex XVII of Regulation (EC) No 1907/2006.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 9)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 20.11.2018

Version number 2

Revision: 20.11.2018

Trade name: RATIONAL Decalcifier

(Contd. of page 8)

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Reasons for changes:**

The Material Safety Data Sheet has been revised. Changes in the respective chapters are characterized in the left side edge by \*.

- **Relevant phrases**

The(se) H-phrase(s) are those of the ingredient(s) and do(es) not necessarily represent the classification of the product.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

- **Department issuing SDS:**

C.S.B. GmbH Phone: +49 - 2151 - 652086-0

Düsseldorfer Str. 113 Fax: +49 - 2151 - 652086-9

47809 Krefeld / Germany

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **\* Data compared to the previous version altered.**

GB